

# Reno II

Model No. **P319/CS**



**ROMA**



## Special Features

- UK designed & registered by Roma.
- New battery pack 2 x 22ah.
- New patented docking system.
- Intelligent, regenerative, electromagnetic brakes.
- New frame locking mechanism.
- Large storage basket.
- On and Off board charger
- Easily disassembly without tools for carrying, storage and transportation.
- Compact and lightweight design with excellent manoeuvrability.
- Simplified frame structure for easy maintenance.
- Crash Tested to ISO 7176/19 on 09.10.2014 by Millbrook Services Test No S13301. The test chair was fitted with a high back seat and Unwin Safety Systems items

## Specifications



Model No.*	<b>P319</b>	Battery Size 12v x 2	<b>22 Ah</b>
Class (Invalid Carriage)	<b>2</b>	Range**	<b>20 km / 12.5 miles</b>
Overall Length	<b>869 mm / 35.2"</b>	Motor	<b>DC24V, 90W</b>
Overall Width	<b>571 mm / 22.5"</b>	Maximum Speed	<b>4 mph / 6.4 kmph</b>
Overall Height	<b>860 mm / 34"</b>	Wheel Size (Front)	<b>150 mm / 6"</b>
Overall Height (Seat removed)	<b>427 mm / 16.8"</b>	Wheel Size (Back)	<b>230 mm / 9"</b>
Seat Width	<b>460 mm / 18"</b>	Turning Radius	<b>701 mm / 27.6"</b>
Seat Depth	<b>380 mm / 15"</b>	Battery Charger	<b>4 Amp Off Board</b>
Seat Height (to ground)	<b>532 mm / 21"</b>	Battery Pack Weight	<b>14 Kgs / 31 lbs</b>
Seat Height (to floorpan)	<b>427 mm / 16.8"</b>		
Safe Working Slope	<b>6° / 10%</b>		
Maximum User Weight	<b>136 kgs / 21st</b>		

\* Lower limb amputees should refer to user manual before use. \*\* Passenger weight, ground conditions, temperature and battery condition/size can affect distance of travel.